

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  045458	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED  04/02/2026
NAME OF PROVIDER OR SUPPLIER  The Blossoms at Breckenridge Rehab & Nursing Cente		STREET ADDRESS, CITY, STATE, ZIP CODE  800 Brookside Drive Little Rock, AR 72205	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0584</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Honor the resident's right to a safe, clean, comfortable and homelike environment, including but not limited to receiving treatment and supports for daily living safely.</p> <p><b>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY**</b> Based on observations, interviews, record review, and facility policy review, it was determined that the facility failed to ensure a safe, clean, comfortable and homelike environment was maintained for three (Resident #1, Resident # 37 and Resident #16) of three residents reviewed. The findings include: Resident #1 Review of Resident #1's admission Record revealed the facility admitted Resident #1 on 06/30/2021 with diagnoses which included schizoaffective disorder, chronic obstructive pulmonary disease, asthma, shortness of breath, and abnormal results of liver function studies. Review of Resident #1's annual Minimum Safety Data Set (MDS) with Assessment Reference Date (ARD) 02/16/2026, revealed Resident #1 had a Brief Interview of Mental Status (BIMS) score of 15, which indicated the resident was cognitively intact. The MDS also revealed Resident #1 was independent of Activities of Daily Living (ADLs) but frequently displayed delusions and needed guidance in safe decision making. Review of Resident #1's Order Summary revealed an order with a start date of 04/13/2025 to monitor resident behaviors for the following: scratching, itching, biting, sexually inappropriate behavior, hitting, attention seeking behaviors, hand wrenching, cussing, elopement attempts, refusal of care, or hallucinations. Resident #16 Review of Resident #16's admission Record revealed Resident #16 was admitted to the facility on [DATE] with diagnoses which included schizoaffective disorder, paranoid schizophrenia, delusional disorders, unspecified psychosis, bipolar disorder, depression, anxiety disorder and heart failure. Review of Resident # 16's quarterly MDS with an ARD 03/02/2026, revealed Resident #16 had a BIMS score 11, which indicated the resident had moderate cognitive impairment. Resident #16's self-care ability revealed the resident required moderate assistance to shower/bathe self and for toileting hygiene. Review of Resident #16's Order Summary revealed an order with a start date of 03/15/2026, to monitor Resident #16 for headaches, fatigue, dizziness, blurred vision, nausea, weight gain or loss, agitation and uncontrollable shaking. Resident #37 Review of Resident #37's admission Record revealed the facility admitted Resident #37 on 03/26/2024 with diagnoses which included cerebral ischemia, polyosteoarthritis, delusional disorder, dementia, cognitive communication deficit, psychosis, malignant neoplasm (cancer) of brain. Review of Resident #37's annual MDS with ARD dated 01/28/2026 revealed Resident #37 had a BIMS score of 15, which indicated the resident was cognitively intact. The MDS revealed Resident #37 required set up for eating, supervision or touch assistance for bathing, and was independent with oral hygiene, toileting hygiene, upper and lower body dressing. The MDS also revealed Resident #37 was continent of bowel and bladder with occasional incontinent episodes. Review of Resident #37's Order Summary revealed an order to admit to secure unit with a start date of 03/26/2024. The Order Summary also revealed an order with a start date of 01/11/2026 to monitor resident behaviors for the following: scratching, itching, biting, sexual inappropriate behavior, hitting, attention seeking behaviors, hand wrenching, cussing, elopement attempts, refusal of care, or hallucinations. Review of the Maintenance Director (MD)'s Job Description revealed it was the MD's responsibility to create and maintain an atmosphere of warmth, personal interest, and positive emphasis as well as a calm environment throughout the facility. The MD also developed, maintained (continued on next page)</p>		

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  045458	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED  04/02/2026
NAME OF PROVIDER OR SUPPLIER  The Blossoms at Breckenridge Rehab & Nursing Cente		STREET ADDRESS, CITY, STATE, ZIP CODE  800 Brookside Drive Little Rock, AR 72205	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0584</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>and implemented infection control, and universal precaution, policies and procedures to assure that a sanitary environment was maintained at all times and that aseptic and isolation techniques are followed by all maintenance personnel. The Job description also included that the MD would ensure understanding of and compliance with all rules regarding residents' rights. During an observation and concurrent interview on 03/02/2026 at 10:33 AM, this surveyor observed Resident #1 and Resident #16's shared bathroom had a bathtub with an unsecured quarter inch thick flat plywood board placed over the bathtub. When asked the purpose of the board, the MD stated, prior to July of 2025 under the previous ownership there was an issue with a blockage in the water flow which caused the gray water lines to back up into the bathtub. The facility elected to cover the bathtub with the plywood board so residents would not try to get into the bathtub. When the MD removed the plywood board there was orangish brown colored stains on the entire floor of the bathtub with some flaky, cracked areas noted particularly at the area beneath the waterspout. There were no noted odors in the bathroom. The MD stated the bathtub being covered with a board did not make the resident area feel like a homelike environment, it could be a source of infection. The MD also stated that since the plywood board was not secured it could break if resident tried to sit on it and cause resident injury. During an observation on 04/02/2026 at 11:45 PM, Resident #37's bathroom tub revealed four, approximately four inch by four inch by 12-inch, wooden blocks with numerous black oval shaped pieces of matter on the blocks and in the tub. During an interview on 04/02/2026 at 11:35 AM, Housekeeping #1 stated Resident #1 and Resident #16's bathtub had a clay colored substance in it, it was not clean, had a slight odor and it looked like it had been there for a while. She reported the tub was not draining. She stated Resident #37's tub had rat feces, and wooden blocks in the tub. Housekeeping #1 stated, inhaling rat feces could cause breathing problems for residents, and it was not proper, safe or healthy. She stated she was told the residents did not use the tubs in the locked down unit and she had not received any instructions for what she should do with the wooden covers on the bathtubs. She indicated she had not cleaned the tubs under the wooden covers. During an interview on 04/02/2026 at 11:08 AM, the Housekeeping Supervisor described Resident #37's bathroom tub as terribly, terribly filthy, not homelike, and would most likely get you sick because fungus could grow there. She confirmed there were big wooden blocks inside the tub and small, black pieces of something and indicated the tub condition was not at all acceptable and it was unsanitary. She described Resident #1 and Resident #16's bathtub as having a brown solid, dry substance in the tub and stated, the tub does not drain. She reported she added water and cleaner to the tub to soften the dried substance and used a scraper to remove the brown solid matter. She indicated housekeeping did not clean the bathtubs because the residents use the shower rooms and not the bathtubs for bathing/showering on the locked units. She reported she thought the wooden boards on top of the bathtubs were secured and was unsure of the reason for the wooden boards on top of the bathtub. The Housekeeping Supervisor reported she would expect housekeeping to clean the entire bathroom including the bathtubs. She reported she had never received a complaint or report from anyone about the bathtub covers. During an interview on 04/02/2026 at 11:47 AM, the Housekeeping Regional Manager described Resident #1 and Resident #16's bathtub as not operable and stated inside the tub looked like droppings of a rodent, the cover was not attached to the tub and not acceptable. He indicated the condition of the bathtub affected the residents because of environmental concerns, stating rodents should not be in your living place and indicated it could be hazardous to the residents' health. During an interview on 04/02/2026 at 1:24 PM, the Director of Nursing indicated she had seen the wooden covers on top of the bathtubs on 200 Hall but had not seen the inside of the covered tubs. She indicated she thought the wooden covers were bolted down. She reported Housekeeping was responsible for cleaning the bathtubs. During an interview on 04/02/2026 at 2:06 PM, the Administrator reported he was unaware of the wooden covers on the bathtubs until this week. He described Resident #1 and Resident #16's bathroom tub as having debris and dust in the tub, looked like brown with dirt, looked dry. He described Resident # 37's bathroom tub as having wood blocks in (continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  045458	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED  04/02/2026
NAME OF PROVIDER OR SUPPLIER  The Blossoms at Breckenridge Rehab & Nursing Cente		STREET ADDRESS, CITY, STATE, ZIP CODE  800 Brookside Drive Little Rock, AR 72205	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0584</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>the tub, and he saw black dots in the tub. He indicated if a resident got into one of these tubs, they would get dirty. He stated, anything dirty can lead to getting sick. He reported the condition of the two bathtubs was not acceptable for resident living areas. He reported housekeeping was responsible for servicing the bathtubs with covers adding they [housekeeping] should clean everything in the room daily. He indicated the wooden covers on top of the bathtubs were to keep a resident from falling in the tub and keeping an unattended resident from taking a bath. Review of facility Grievance Logs dated September 2025 to February 2026, revealed no reported bathtub issues.</p>		