

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 055525	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/16/2024
NAME OF PROVIDER OR SUPPLIER Crenshaw Nursing Home		STREET ADDRESS, CITY, STATE, ZIP CODE 1900 S Longwood Ave Los Angeles, CA 90016	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0686</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Provide appropriate pressure ulcer care and prevent new ulcers from developing.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 47923</p> <p>Based on observation, interview, and record review, the facility failed to:</p> <p>1. Ensure one of one sampled resident (Resident 1) with a pressure ulcer (injury to skin and underlying tissue resulting from prolonged pressure on the skin) was provided with low air loss mattress (small air holes in the mattress top surface continually blow out air causing the patient to float, which reduces skin interface pressure at the mattress surface and moisture is wicked away so the patient stays dry) to promote wound healing.</p> <p>This failure had the potential to cause residents to experience the development or deterioration of pressure ulcers.</p> <p>Findings:</p> <p>A review of Resident 1's Admission Record, indicated Resident 1 was admitted to the facility on [DATE] with diagnoses of enterocolitis due to clostridium difficile (bacterial infection that causes diarrhea), unstageable pressure ulcer (full thickness skin and tissue loss in which the extent of tissue damage within the ulcer cannot be confirmed because the wound bed is obscured by slough (yellow or white material) or eschar (dead tissue), and schizoaffective disorder (a mental illness that can affect your thoughts, mood, and behavior).</p> <p>A review of Resident 1's History and Physical (H&P), dated 4/12/2024, indicated Resident 1 did not have the capacity for medical decision making.</p> <p>A review of Resident 1's Minimum Data Set ([MDS] a standardized assessment and care screening tool), dated 7/4/2024, indicated Resident 1 required maximal assistance (helper does more than half the effort) on toileting hygiene and lower body dressing. The MDS also indicated Resident 1 was at risk of developing pressure ulcers and was admitted with two unstageable pressure ulcers.</p> <p>A review of Resident 1's Wound Risk Assessment, dated 6/29/2024, indicated Resident 1 had a total score of 22 (score of 8 or greater should be considered as high risk for skin breakdown).</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 055525	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/16/2024
NAME OF PROVIDER OR SUPPLIER Crenshaw Nursing Home		STREET ADDRESS, CITY, STATE, ZIP CODE 1900 S Longwood Ave Los Angeles, CA 90016	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0686</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>A review of Resident 1's Skilled Nursing Facility Wound Care Report, dated 7/9/2024, indicated Resident 1 had sacral (triangular-shaped bone at the base of the spine) coccyx (tail bone) unstageable pressure ulcer measuring 4.1 centimeters ([cm] unit of measurement) in length, 2.0 cm in width, with undetermined depth and left hip unstageable pressure ulcer measuring 3.1 cm in length, 2.0 cm in width, with undetermined depth.</p> <p>During a concurrent observation and interview on 7/12/2024 at 3:13 p.m., at Resident 1's room, Resident 1 was observed lying in bed with regular mattress, awake, alert, oriented, and able to make needs known. Resident 1 stated she had been asking for special mattress for almost 2 weeks because she had a bed sore on her buttock. Resident 1 stated her body was hurting because she was on regular mattress.</p> <p>During an interview on 7/12/2024 at 3:45 p.m., with Licensed Vocational Nurse (LVN 1), LVN 1 stated Resident 1 was not on low air loss mattress. LVN 1 stated the Assistant Administrator (AADM) told her facility was waiting for the insurance to approve the low air loss mattress of Resident 1.</p> <p>During an interview on 7/12/2024 at 4:20 p.m., with Treatment Nurse (TN 1), TN 1 stated there were no documented evidence that Resident 1's low air loss mattress was ordered. TN 1 stated all residents with pressure ulcer should have low air loss mattress as part of wound management. TN 1 stated the purpose of the low air loss mattress was to promote wound healing.</p> <p>During an interview on 7/12/2024 at 4:30 p.m., with the Quality Assurance Nurse (QA), the QA Nurse stated the corporate office was responsible in ordering the low air loss mattress of Resident 1. The QA Nurse stated low air loss mattress was very important for Resident 1 to prevent further skin damage and worsening of her existing pressure ulcers. The QA Nurse stated it was facility ' s policy to put low air loss mattress as part of intervention for all residents identified as high risk for skin breakdown.</p> <p>A review of the facility's policy and procedure (P&P) titled, Pressure-Reducing Mattresses, undated, the P&P indicated, To provide mattresses that will prevent and/or minimize pressure on the skin, and to provide comfort if resident prefers.</p> <p>A review of the facility ' s P&P titled, Prevention of Pressure Injuries, revised 4/2020, the P&P indicated, Select appropriate support surfaces based on resident ' s risk factors, in accordance with current clinical practice.</p> <p>Based on observation, interview, and record review, the facility failed to provide low air loss mattress (an air mattress for wound management) to one of one sampled resident, (Resident 1), who had a pressure ulcer (injury to skin and underlying tissue resulting from prolonged pressure on the skin) at the sacral (triangular-shaped bone at the base of the spine) coccyx (tail bone) area.</p> <p>This deficient practice had the potential to result in Resident 1's worsening condition of pressure ulcer and further skin breakdown.</p> <p>Findings:</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 055525	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/16/2024
NAME OF PROVIDER OR SUPPLIER Crenshaw Nursing Home		STREET ADDRESS, CITY, STATE, ZIP CODE 1900 S Longwood Ave Los Angeles, CA 90016	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0686</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>During a review of Resident 1's Admission Record, the Admission Record indicated Resident 1 was admitted to the facility on [DATE] with diagnoses of enterocolitis due to clostridium difficile (bacterial infection that causes diarrhea), unstageable pressure ulcer (full thickness skin and tissue loss in which the extent of tissue damage within the ulcer cannot be confirmed because the wound bed is obscured by slough (yellow or white material) or eschar (dead tissue), and schizoaffective disorder (a mental illness that can affect your thoughts, mood, and behavior).</p> <p>During a review of Resident 1's History and Physical (H&P), the H&P dated 4/12/2024, indicated Resident 1 did not have the capacity for medical decision making.</p> <p>During a review of Resident 1's Minimum Data Set ([MDS] a standardized assessment and care screening tool), dated 7/4/2024, the MDS indicated Resident 1 required maximum assistance (helper does more than half the effort) on toileting hygiene and lower body dressing. The MDS indicated Resident 1 was at risk of developing pressure ulcers and was admitted with two unstageable pressure ulcers.</p> <p>During a review of Resident 1's Wound Risk Assessment, dated 6/29/2024, the assessment indicated Resident 1 at high risk for skin breakdown.</p> <p>During a review of Resident 1's Skilled Nursing Facility Wound Care Report, dated 7/9/2024, the report indicated Resident 1 had sacral coccyx unstageable pressure ulcer measuring 4.1 centimeters ([cm] unit of measurement) in length, 2.0 cm in width, with undetermined depth and left hip unstageable pressure ulcer measuring 3.1 cm in length, 2.0 cm in width, with undetermined depth.</p> <p>During a concurrent observation and interview on 7/12/2024 at 3:13 p.m., at Resident 1's room, Resident 1 was observed lying in bed with regular mattress, awake, alert, oriented, and able to make needs known. Resident 1 stated she had been asking for special mattress for almost 2 weeks because she had a bed sore on her buttock. Resident 1 stated her body was hurting because she was on regular mattress.</p> <p>During an interview on 7/12/2024 at 3:45 p.m., with Licensed Vocational Nurse (LVN 1), LVN 1 stated Resident 1 was not on low air loss mattress.</p> <p>During an interview on 7/12/2024 at 4:20 p.m., with Treatment Nurse (TN 1), TN 1 stated there were no documented evidence that Resident 1's low air loss mattress was ordered. TN 1 stated all residents with pressure ulcer should have low air loss mattress as part of wound management. TN 1 stated the purpose of the low air loss mattress was to promote wound healing.</p> <p>During an interview on 7/12/2024 at 4:30 p.m., with the Quality Assurance Nurse (QA), the QA Nurse stated the corporate office was responsible in ordering the low air loss mattress of Resident 1. The QA Nurse stated low air loss mattress was very important for Resident 1 to prevent further skin damage and worsening of her existing pressure ulcers. The QA Nurse stated it was facility's policy to put low air loss mattress as part of intervention for all residents identified as high risk for skin breakdown.</p> <p>During a review of the facility's policy and procedure (P&P) titled, Pressure-Reducing Mattresses, undated, the P&P indicated the facility should provide mattresses that will prevent and/or minimize pressure on the skin, and to provide comfort if resident prefers.</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 055525	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/16/2024
NAME OF PROVIDER OR SUPPLIER Crenshaw Nursing Home		STREET ADDRESS, CITY, STATE, ZIP CODE 1900 S Longwood Ave Los Angeles, CA 90016	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0686</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>During a review of the facility's P&P titled, Prevention of Pressure Injuries, revised 4/2020, the P&P indicated the facility should select appropriate support surfaces based on resident's risk factors, in accordance with current clinical practice.</p>