

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145438	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/05/2025
NAME OF PROVIDER OR SUPPLIER Evercare of Collinsville		STREET ADDRESS, CITY, STATE, ZIP CODE 614 North Summit Collinsville, IL 62234	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0908</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Keep all essential equipment working safely.</p> <p>44556</p> <p>Based on observation, interview, and record review, the facility failed to ensure a mechanical lift was maintained in a safe working manner for 4 of 4 residents (R2, R5, R6, and R7) reviewed for equipment.</p> <p>Findings Include:</p> <p>On 05/01/25 at 8:50 AM, V3, Certified Nursing Assistant (CNA) was walking down the 300 hallway pushing a mechanical lift and having a difficult time keeping it straight. While V3 was pushing the lift the right leg would swing out on its own without the use of the controls to move it. V3 would then use her foot to kick the leg back into position.</p> <p>On 05/01/25 at 9:07 AM, V4, CNA and V6, CNA Brought the mechanical lift down to R2's room. While wheeling the lift to R2's room the right leg would move/swing out without V4 using the controls. V4 would put the leg back in place with her foot as she was pushing the lift to the room. V4 and V6 placed R2 in the medical lift and used the controls to lift R2 to put her to bed. While R2 was up in the lift V4 was pushing the lift over the bed the leg swung open and V4 had to kick it back in place. V4 was struggling to get the mechanical lift to the correct position over R2's bed so she could lower R2 into the bed. V4 said the mechanical lift is hard to steer sometimes.</p> <p>On 05/01/25 at 1:35 PM, R5 Minimum Data Set (MDS) documented she was cognitively intact said they must use a mechanical lift to get her up out of bed. She said they need new ones because the old ones are hard to push at times. R5 said it scares her when they are getting her up and they have to push it (the lift) real hard to move it. She said it seems like it tilts. R5 said sometimes the CNAs must push it with their feet to get the wheels to turn and she said she is scared they will get her up in the air and the lift will quit on them.</p> <p>On 05/05/25 at 9:00 AM, R6 MDS documented she was cognitively intact said there are times she doesn't get up out of bed due to the mechanical lift battery is dead, they are having trouble with the lift's legs, there isn't enough slings for everyone, or there isn't enough staff in the building to get her up. She said she didn't get up for at least seven days because of all of that. R6 was asked about the word BAD being written on one of the lift legs and R6 said, kind of gives it away don't it. She said she did get up yesterday and when they put her back to bed, she asked them to leave the sling in her room so she would have it for today, but they came in and got it to use on someone else. R6 said when they are getting her up in the mechanical lift it feels like she isn't in it right and she has to grab the lift to keep her balance.</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145438	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/05/2025
NAME OF PROVIDER OR SUPPLIER Evercare of Collinsville		STREET ADDRESS, CITY, STATE, ZIP CODE 614 North Summit Collinsville, IL 62234	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0908</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>On 05/01/25 at 8:53 AM, this surveyor questioned V3, CNA about the mechanical lift's leg swinging out the way it did. V3 said no, it shouldn't. V3 said it has been like that for a few weeks probably. She was also asked about the word BAD written on the right leg and she said it was probably wrote to let people know it was bad. V3 also stated she thinks the control has a short circuit in it because sometimes the lift doesn't want to move up or down. She said maintenance has been notified but she doesn't remember when. V3 said the other lift they have the leg does the same thing.</p> <p>On 05/01/25 at 9:00 AM, V4, CNA said the leg on the mechanical lift is not supposed to open on its own like it does and the word BAD written on the leg is because it (the leg) is not staying closed and she isn't sure how long the lift has been that way. V4 said the mechanical lift can be hard to steer sometimes also.</p> <p>On 05/01/25 at 9:04 AM, V6, CNA stated the leg on the mechanical lift has been like that for a while, but she isn't sure how long. She said it isn't supposed to open up on its own and the reason they have the word BAD written on the leg is to let them know it's not staying closed.</p> <p>On 05/01/25 at 9:12 AM, V7, CNA said the mechanical lift is not working correctly and maintenance is just waiting on a piece to come in.</p> <p>On 05/05/25 at 9:24 AM, V14, CNA stated they only have two mechanical lifts in the building. She said one lift they have to keep it on the charger because the battery doesn't hold a charge and the other lift, they had the legs were not staying in. V14 stated the mechanical lifts have been that way since she started working at the facility a few weeks ago. V14 said when they have an issue with anything they will put in a work order with maintenance, and they will take care of it.</p> <p>On 05/05/25 at 10:45, AM V1, Administrator said when someone has an issue with the mechanical lifts, they do a work order and put it on the maintenance office door and describe what is going on. She said maintenance will write what they did to correct the issue and then he will give the slip to her when he is finished fixing the issue. V1 said she wasn't made aware there were any issues with the mechanical lifts, and they don't have a work order for any of the lifts.</p> <p>The facility's policy Transfer- Manual Gait Belt and Mechanical Lifts, undated, documented Purpose In order to protect the safety and well being of the staff and residents, and to promote quality care, this facility will use mechanical lifting devices for the lifting and movement of residents. It further documented 4. Mechanical lift equipment shall undergo routine maintenance checks by the nursing and maintenance staff to ensure that equipment remains in good working order.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145438	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/05/2025
NAME OF PROVIDER OR SUPPLIER Evercare of Collinsville		STREET ADDRESS, CITY, STATE, ZIP CODE 614 North Summit Collinsville, IL 62234	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0921</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Make sure that the nursing home area is safe, easy to use, clean and comfortable for residents, staff and the public.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 44556</p> <p>Based on observation, interview, and record review, the facility failed to provide residents with a sanitary and comfortable environment for 4 of 4 (R2, R5, R6, and R7) reviewed for sanitary environment.</p> <p>Findings Include:</p> <p>On 05/01/25 at 9:35 AM, The men's bathroom on the 300 hall was inspected at this time. In the shower area between some of the tiles was black fuzzy, rough in texture spots. In the entrance to the shower there was an area where the tile was missing, and the wall was crumbling.</p> <p>On 05/01/25 at 9:40 AM, The women's bathroom on the 100 hallway was inspected at this time. Upon entering the bathroom there was a strong smell of bleach. Behind the entrance door there was a green substance on most of the wall. V8, Licensed Practical Nurse (LPN) was questioned about the substance behind the bathroom door. V8 stated I'm not gonna lie, it looks like mold. In the shower area of the bathroom on the wall opposite from the shower head, in both corners there was black fuzzy spots on some of the tiles/baseboards. In the corner at the entrance on the side with the shower head there was black spots on the tile. Under the sinks in the bathroom there was a light brown and green area on the wall. After being in the bathroom for a few minutes this surveyor's eyes were burning due to the strong bleach smell.</p> <p>On 05/01/25 at 9:47 AM, The men's bathroom on the 100 hall was inspected at this time. When entering the bathroom there was a strong bleach smell. Both toilets in this bathroom had been used (both had urine left in them) and had not been flushed.</p> <p>On 05/01/25 at 10:00 AM, The men's bathroom on the 200 hall was inspected. In the shower on the back wall there was green/black fuzzy areas noted to the baseboard.</p> <p>On 05/01/25 at 9:15 AM, R3 who is cognitively intact said she only takes a shower once a week because all the walls in the shower are covered with mold. She said they will spray something on the walls and wipe it off but housekeeping doesn't clean the bathroom so she will wear shower shoes when she takes a shower.</p> <p>On 05/01/25 at 10:10 AM, R4 who is cognitively intact said he has seen mold in the showers and on the floors in the showers. He said he has told someone about the mold.</p> <p>On 05/01/25 at 1:35 PM, R5 who is cognitively intact said it stinks when you go in the shower room. She said it smells like mold in there and she has seen mold in the shower room.</p> <p>On 05/05/25 at 10:05 AM, V11, Housekeeping Supervisor said he hasn't seen any mold in the building, and he tries to keep it down. He said when someone tells him about any mold, he will jump right on it and clean it with a little bleach and water because that is the only thing that will get rid of it.</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145438	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/05/2025
NAME OF PROVIDER OR SUPPLIER Evercare of Collinsville		STREET ADDRESS, CITY, STATE, ZIP CODE 614 North Summit Collinsville, IL 62234	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0921</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>On 05/05/25 at 10:45 AM, V1, Administrator said she would expect housekeeping to clean really good with whatever cleaning material they use if they were to see mold.</p> <p>On 05/05/25 at 1:19 PM, V14, Certified Nursing Assistant (CNA) said they have been dealing with mold in the facility for a long time. She said she has worked there for [AGE] years, and they have always had an issue with mold. She said some of the staff have quit because the mold makes them sick and some of them will go home sick with a headache because of the mold. V14 said one of the bathrooms/shower rooms was shut down for almost a year for them to remodel it but it still smells like mold when you go in there.</p> <p>The facility's policy Mold and Mildew, undated, documented Policy Statement: Mold and mildew growth can occur in areas of humid or often damp areas like shower stalls, kitchens and restrooms. Surface mildew and mold can be mitigated by ensuring these areas are routinely deep cleaned. If areas of mildew or mold are found, these areas must be immediately cleaned with proper mold and mildew cleaners, ensuring all areas are free of mildew or mold.</p>