

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145953	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/14/2025
NAME OF PROVIDER OR SUPPLIER Prairieview Lutheran Home		STREET ADDRESS, CITY, STATE, ZIP CODE 403 North Fourth Street Danforth, IL 60930	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0641</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Ensure each resident receives an accurate assessment.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 40385</p> <p>Based on interview and record review the facility failed to accurately complete a Minimum Data Set (MDS) Assessment for one of three (R2) residents reviewed for falls in the sample list of three.</p> <p>Findings include:</p> <p>R2's Nursing Note dated 2/20/2025 at 7:35 PM documents V14 Certified Nursing Assistant pushed R2 in a wheelchair into R2's room, R2's feet got caught underneath R2's wheelchair, R2 fell and hit R2's head. R2's Nursing Note dated 2/20/2025 at 8:00 PM documents R2 complained of neck pain and R2's blood pressure was 188/94. R2's family and physician were notified and orders were received to transfer R2 to the local hospital. R2's Nursing Note dated 2/21/25 at 12:27 AM documents the hospital called to report R2 will return to the facility and has spine fracture of dens cervical body. Neurosurgeon consult indicated not eligible for surgery due to complications, and R2 will need to wear a cervical collar at all times.</p> <p>R2's Computed Tomography scan of cervical spine dated 2/20/25 documents fall with neck pain and R2 has an acute fracture through base of dens.</p> <p>R2's MDS dated [DATE] documents R2 had no falls since the last MDS review, which was 12/18/24.</p> <p>On 5/12/25 at 11:30 AM V3 MDS Coordinator confirmed R2's 3/3/25 MDS was inaccurate and did not document R2's fall with major injury that occurred on 2/20/25. V3 stated V3 caught the error today and submitted a correction. V3 stated V3 was not sure how this was missed, usually when a resident has a fall with major injury they are admitted to the hospital so that is maybe how this was missed.</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145953	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/14/2025
NAME OF PROVIDER OR SUPPLIER Prairieview Lutheran Home		STREET ADDRESS, CITY, STATE, ZIP CODE 403 North Fourth Street Danforth, IL 60930	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0689</p> <p>Level of Harm - Actual harm</p> <p>Residents Affected - Few</p> <p>Note: The nursing home is disputing this citation.</p>	<p>Ensure that a nursing home area is free from accident hazards and provides adequate supervision to prevent accidents.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 40385</p> <p>Based on interview and record review, the facility failed to identify an electric lift chair as a fall hazard, develop and implement post fall interventions, and thoroughly investigate falls for one of three (R1) reviewed for falls in the sample list of three. This failure resulted in R1 falling and sustaining a left femoral neck fracture requiring surgical repair.</p> <p>Findings include:</p> <p>R1's Minimum Data Set, dated dated dated [DATE] documents R1 had severe cognitive impairment and required substantial/maximal assistance from staff when moving from sitting to standing, for chair/bed transfers, and when walking. R1's Fall Risk assessment dated [DATE] documents R1 was at high risk for falling.</p> <p>R1's Care Plan dated 9/15/22 documents R1 was at risk for falls related to deconditioning, gait/balance problems, psychoactive drug use, and vision/hearing problems. Interventions included silent recliner alarm for poor safety awareness (7/31/23), check function and placement of alarm every shift, nonskid mat in recliner (9/5/23) and transfer/ambulate with standby assist, gait belt and four wheeled walker.</p> <p>R1's Nursing Note dated 4/11/2024 at 11:25 PM documents nurse and Certified Nursing Assistant (CNA) entered R1's room to find R1 sitting on the floor leaning up against the heater in front of the recliner that was in a forward tilt position. R1 was unable to recall how she fell . R1 was sitting in the recliner prior to the fall. R1's Interdisciplinary Team (IDT) Note dated 4/12/2024 at 12:31 PM documents the IDT met to review R1's unwitnessed fall. R1 recently tested positive for COVID-19 with weakness likely. Physical Therapy to evaluate and treat as ordered. R1's Therapy Initiation dated 4/15/24 documents R1's family declined therapy. There are no other documented post fall interventions for this fall in R1's medical record.</p> <p>R1's Nursing Note dated 4/3/2025 at 2:23 PM documents R1 had an unwitnessed fall in her room while attempting to self transfer. R1's call light was within reach. R1 acquired a hematoma (bruising/swelling) to the left side of her head behind her ear and a skin tear to the left thumb. R1 was transferred to the local hospital.</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145953	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/14/2025
NAME OF PROVIDER OR SUPPLIER Prairieview Lutheran Home		STREET ADDRESS, CITY, STATE, ZIP CODE 403 North Fourth Street Danforth, IL 60930	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0689</p> <p>Level of Harm - Actual harm</p> <p>Residents Affected - Few</p> <p>Note: The nursing home is disputing this citation.</p>	<p>The Incident Investigation/Interview Form dated 4/8/25, completed by V5 CNA, documents V5 passed by R1's room and saw R1 on the floor in front of R1's electric recliner/lift chair, which was all the way up. R1's call light was not on. This form does not document a malfunction with R1's chair alarm. The undated Incident Investigation/Interview Form, completed by V9 LPN documents V5 CNA alerted nurse to R1 being on the floor. R1 was on the floor in front of the recliner, the call light was within reach, and R1 was sleeping in the recliner prior to the fall. The Incident Investigation/Interview Form dated 4/3/25, completed by V10 CNA, documents V10 did not witness R1's fall and does not include any additional information. The facility's final report of R1's 4/3/25 fall documents was on 4/3/25 at 2:00 PM. R1 was found on the floor in front of her recliner, and R1 was transferred to the hospital. R1's left hip computed tomography showed a nondisplaced left femoral neck fracture. Surgery was completed on 4/4/25, and the hospital notified the facility on 4/6/25 that R1 passed away. R1's hospital discharge summary documents likely etiology is acute cardiopulmonary arrest given her advanced age and underlying heart disease. This final report does not identify the root cause of R1's fall or any post fall interventions. There is no documentation that the pressure alarm malfunctioned, that the facility identified the lift chair to be a safety/fall hazard, or if a nonskid mat was in R1's recliner.</p> <p>R1's Hospital History and Physical dated 4/3/25 documents R1 admitted after a fall, R1 was found to having bruising to the left hip and radiograph imaging showed a left femoral neck fracture. R1's surgical consult note dated 4/4/25 documents R1 initially presented with left hip pain post fall and shortened/externally rotated left leg with bruising. A computed tomography scan noted a nondisplaced valgus-impacted femoral neck fracture. R1's Operative Note dated 4/4/25 documents R1 received open reduction internal fixation surgical repair of the left femur fracture.</p> <p>On 5/12/25 at 10:39 AM V5 CNA stated V5 walked past R1's room and saw R1 lying on the floor. V5 stated R1's chair pressure alarm was not plugged into the call light box, so the call light did not activate like it was suppose to. V5 stated R1 used an electric lift chair recliner and R1 had a history of using the lift chair remote, so we would try to keep it out of R1's reach. At the time of the fall on 4/3/25, R1's lift chair was in the highest elevated position with the seat all of the way up and the controls were dangling along the side of the chair within R1's reach. V5 was asked what could have been done to prevent the fall. V5 stated making sure all the cords for the alarm were plugged in. At 11:31 AM V5 stated R1 used a nonskid mat in her recliner and V5 was not for sure but thinks the mat was in place when R1 fell .</p> <p>On 5/12/25 at 11:06 AM V10 CNA stated V10 was assigned to R1's hall on 4/3/25. V10 stated R1's fall had something to do with R1's alarm not sounding. V10 confirmed V10 had transferred R1 into the electric lift chair/recliner after lunch. V10 was unsure how often chair alarms should be checked for functioning. V10 stated silenced alarms do not sound, it triggers the call light indicated with a certain color for alarms. V10 stated the sensor pad cord connects into the call light box on the wall of the room. V10 was unsure if R1's sensor alarm was connected to the call light box when V10 transferred R1 on 4/3/25. V10 described R1 as confusing, no ability to recall or retain information and required heavy assistance from staff for transfers. V10 stated V10 was told that R1 has a history of attempting to self transfer and V10 was unsure where she had placed R1's chair remote. V10 was asked what could have been done to prevent the fall. V10 stated checking the alarms, but the alarm doesn't trigger until after the resident has already fallen. At 11:27 AM V10 stated V10 used a nonskid mat in the lift chair, but was unsure if it was in place during R1's 4/3/25 fall.</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145953	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/14/2025
NAME OF PROVIDER OR SUPPLIER Prairieview Lutheran Home		STREET ADDRESS, CITY, STATE, ZIP CODE 403 North Fourth Street Danforth, IL 60930	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0689</p> <p>Level of Harm - Actual harm</p> <p>Residents Affected - Few</p> <p>Note: The nursing home is disputing this citation.</p>	<p>On 5/12/25 at 11:35 AM V8 Director of Rehab stated R1 had not been on therapy caseload within the last year. V8 stated R1 had a prior fall out of the recliner and was suppose to have therapy at that time, but R1's family declined.</p> <p>On 5/12/25 at 11:45 AM V12 Licensed Practical Nurse stated R1 was confused and had a history of prior fall from R1's electric lift chair/recliner, which is why R1 used an alarm in her chair.</p> <p>On 5/12/25 at 11:54 AM V2 Director of Nursing stated therapy was R1's post fall intervention for 4/11/24 fall. V2 confirmed all of R1's 4/3/25 fall investigation documentation was provided. V2 stated the root cause of was R1 attempted to self transfer. V2 stated the CNAs on the floor that day were interviewed regarding the fall and per V5, R1's chair alarm was not working. V2 confirmed nonskid mat and silenced chair alarms were current fall interventions for R1, and information regarding these interventions were not documented as part of R1's fall investigation. V2 confirmed the lift chair was not identified to be a contributing factor in R1's falls. V2 stated the facility does not do any kind of assessment for the use of electronic lift chairs. V1 Administrator and V2 confirmed the facility does not have a policy regarding the use of these chairs. On 5/14/25 at 9:01 AM V2 confirmed R1's family declined therapy, the post fall intervention for R1's 4/11/24 fall. At 9:09 AM V2 stated there were no other interventions that were implemented for R1's 4/11/24 fall.</p> <p>On 5/12/25 between 2:11 PM and 2:25 PM V16, R1's Physician, confirmed R1's fall was the cause of R1's left femur fracture.</p> <p>The facility's undated Managing Falls and Fall Risk policy documents staff will implement a resident-centered fall prevention plan to reduce fall risk factors for resident's at risk for falls or with a history of falls. This policy documents staff will monitor and document response to fall interventions, if the resident continues to fall then staff will re-evaluate whether the intervention remains appropriate or if change is needed. This policy documents the physician will help staff reconsider possible causes that many not have been identified.</p>		