

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 165306	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 10/09/2025
NAME OF PROVIDER OR SUPPLIER Parkview Care Center		STREET ADDRESS, CITY, STATE, ZIP CODE 2237 Highway 34 Fairfield, IA 52556	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0925</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Make sure there is a pest control program to prevent/deal with mice, insects, or other pests.</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 165306	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 10/09/2025
NAME OF PROVIDER OR SUPPLIER Parkview Care Center		STREET ADDRESS, CITY, STATE, ZIP CODE 2237 Highway 34 Fairfield, IA 52556	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0925</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Based on observations, resident and staff interviews, the facility failed to maintain an environment that was free from pests (houseflies) in resident rooms and the dining area. The facility reported a census of 48 residents. Findings include: 1. Review of the Minimum Data Set (MDS) Assessment, dated Aug. 15, 2025, revealed Resident #15 had a Brief Interview for Mental Status (BIMS) score of 13 out of 15, which indicated intact cognition. During an interview on Oct. 8, 2025 at 10:36 AM, Resident #15's door was observed to be shut with a bed pad placed under the crack of the door, when queried why bed pad was placed under door, Resident #15 stated it was to keep the flies out of his room. Resident #15 reported having trouble with flies in his room through the summer months. 2. Review of the MDS Assessment, dated July 18, 2025, revealed Resident #16 had a BIMS score of 13 out of 15, which indicated intact cognition. During an interview on Oct. 8, 2025 at 10:55 AM, Resident #16 reported that she would see a fly every once and a while in her room, when asked about fly swatter observed on Resident #16's television stand, and said that it (the fly) usually goes away. 3. Review of the MDS Assessment, dated Sept. 4, 2025, revealed Resident #13 had a BIMS score of 15 out of 15, which indicated intact cognition. During an interview on Oct. 9, 2025, Resident #13, observed with fly swatter in hand, stated, they (the flies) are pecking my eyes out. When queried how often Resident #13 saw flies in his room, he stated every day. Resident #13 stated they know about it, when asked if the facility was aware of flies in his room. 4. During an observation of the noon meal in the main dining room on Oct. 8, 2025 at 11:54 AM, a large trash can placed in the corner of the dining room, containing trash and food items, lacked a lid/cover. At 11:54 AM, a table of 3 residents sat together, one of the residents stated there's a fly on me, it drives me crazy. During an observation of the morning meal in the main dining room on Oct. 9, 2025 at 9:12 AM, at least one fly sat on top of 3 of the 6 round dining room tables. Review of the facility provided pest control company receipts revealed services provided, in part: a. On July 16, 2025, insecticide spray and rodenticide bait were utilized for target pests listed as spiders, ants, and mice. b. On Aug. 13, 2025, insecticide spray and rodenticide bait were utilized for target pests listed as spiders and mice. c. On Sept. 17, 2025, insecticide spray and rodenticide bait were utilized for target pests listed as spiders, ants, and mice. During an interview on Oct. 8, 2025 at 2:45 PM, the Housekeeping Supervisor confirmed hearing from residents about flies in the facility and reported that the facility has a pest control company visit monthly to set up traps and monitor. The supervisor reported having knowledge that a resident likes to open a window at night and believed this may be an entry for flies but denied knowledge of any other open or unsealed doors or windows. During an interview on Oct. 9, 2025, Staff A, Certified Nursing Assistant (CNA) reported that the facility had at least 3 fluorescent light bug traps: one near each nursing station and one in the dining room. Staff A stated that the bug trap in the dining room needed the light bulb replaced. When queried how staff should know that a bulb would need to be replaced, Staff A stated that the light bulb color would change from blue to orange when it was no longer effective. During an interview on Oct. 9, 2025 at 12:50 PM, Staff C, Licensed Practical Nurse (LPN), confirmed seeing flies in resident rooms and common areas. Staff C reported that if staff see flies swarming around anyone, or if staff know that flies are bugging a resident, they would try to take care of it using a fly swatter. During an interview on Oct. 9, 2025 at 2:30 PM, Facility Administrator, reported that the facility had a pest control company visit monthly to replace fluorescent light bug trap bulbs. When queried how staff should know that a bulb would need to be replaced, Administrator stated that the light bulb color would change from blue to orange when it was no longer effective. The administrator reported having knowledge that at least one trap required a new bulb and that the facility planned to have more traps installed at outside exit doors. Review of the facility policy titled, Pest Control, dated May 2008, revealed the Policy statement which declared, our facility shall maintain an effective pest control program. Section A. Policy Interpretation and Implementation directed, in part: This facility maintains an ongoing pest control program to ensure that the building is kept free of insects and rodents. a. Pest services provided by (redacted). b. Windows are screened at all times. c. Only approved FDA and EPA insecticides and rodenticides are permitted in the facility and all such supplies are stored in areas away from food storage areas. d. Garbage and trash are not permitted to accumulate and are removed from the facility daily. e. Maintenance services assist, when appropriate and necessary, in providing pest control services.</p>		