

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 395828	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 01/07/2025
NAME OF PROVIDER OR SUPPLIER Maple Heights Health & Rehab Center, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 429 Manor Drive Ebensburg, PA 15931	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0809</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Ensure meals and snacks are served at times in accordance with resident's needs, preferences, and requests. Suitable and nourishing alternative meals and snacks must be provided for residents who want to eat at non-traditional times or outside of scheduled meal times.</p> <p>46994</p> <p>Based on a review of the facility's meal schedule, and resident and staff interview, it was determined that the facility failed to ensure that meals were served at regularly scheduled times on the nursing unit.</p> <p>Findings include:</p> <p>Review of the facility's tray delivery logs revealed that meals are expected to be delivered within 10 minutes before or after scheduled time for meal delivery.</p> <p>On January 6, 2025, the breakfast meal for 300 North hall was to be delivered at 7:15 a.m. Review of the tray delivery log provided by the facility revealed that the tray was delivered to the unit at 7:37 a.m., 22 minutes late. The breakfast meal delivery for rooms 417-424 and 425-433 was scheduled for 7:20 a.m.; however, review of the tray delivery log revealed that the tray was delivered to the unit at 7:48 a.m., 28 minutes late.</p> <p>On January 5, 2025, the breakfast meal for 300 East and [NAME] halls was scheduled for 6:45 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:06 a.m., 21 minutes late. The breakfast meal for 100 East and North halls was scheduled for 6:55 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:18 a.m., 23 minutes late. The breakfast meal for 300 North hall was scheduled for 7:15 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:41 a.m., 26 minutes late. The breakfast meal for rooms 417-424 was scheduled for 7:20 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:51 a.m., 31 minutes late. The breakfast meal for 300 South hall was scheduled for 7:50 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 8:13 a.m., 23 minutes late.</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 395828	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 01/07/2025
NAME OF PROVIDER OR SUPPLIER Maple Heights Health & Rehab Center, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 429 Manor Drive Ebensburg, PA 15931	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0809</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>On January 3, 2025, the breakfast meal for 300 North hall was to be delivered at 7:15 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:42 a.m., 27 minutes late. The breakfast meal for rooms 417-424 was to be delivered at 7:20 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:49 a.m., 29 minutes late. The breakfast meal for 300 South hall was to be delivered at 7:50 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 8:19 a.m., 29 minutes late.</p> <p>On January 2, 2025, the breakfast meal for rooms 417-424 and 425-433 was to be delivered at 7:20 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 7:44 a.m., 24 minutes late. The breakfast meal for rooms 308-316 was to be delivered at 7:50 a.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 8:10 a.m., 20 minutes late. The dinner meal for rooms 417-424 was to be delivered at 5:20 p.m.; however, review of the tray delivery log revealed that the dinner meal trays were delivered to the unit at 5:43 p.m., 23 minutes late. The dinner meal for rooms 308-316 was to be delivered at 5:50 p.m.; however, review of the tray delivery log revealed that the dinner meal trays were delivered to the unit at 6:07 p.m., 17 minutes late.</p> <p>On December 30, 2024, the dinner meal for rooms 325-333 was to be delivered at 5:15 p.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 5:36 p.m., 21 minutes late. The dinner meal for rooms 417-424 was to be delivered at 5:20 p.m.; however, review of the tray delivery log revealed that the breakfast meal trays were delivered to the unit at 5:46 p.m., 26 minutes late. The dinner meal for rooms 308-316 was to be delivered at 5:50 p.m.; however, review of the tray delivery log revealed that the dinner meal trays were delivered to the unit at 6:16 p.m., 26 minutes late.</p> <p>Interview with Resident 4 on January 7, 2025, at approximately 10:15 a.m. revealed that meals are sometimes delivered late. Interview with Resident 5 on January 7, 2025, at approximately 10:30 a.m. revealed that meals are frequently not delivered on time.</p> <p>Interview with the Nursing Home Administrator on January 7, 2025, at 2:26 p.m. revealed that the tray delivery logs confirmed that meals were not being delivered to the units within 10 minutes of the resident's scheduled mealtimes.</p> <p>28 Pa. Code 201.14 (a) Responsibility of Licensee.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 395828	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 01/07/2025
NAME OF PROVIDER OR SUPPLIER Maple Heights Health & Rehab Center, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 429 Manor Drive Ebensburg, PA 15931	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0812</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Procure food from sources approved or considered satisfactory and store, prepare, distribute and serve food in accordance with professional standards.</p> <p>46994</p> <p>Based on observations and staff interviews, it was determined that the facility failed to ensure that food was served under sanitary conditions.</p> <p>Findings include:</p> <p>Observations in the main kitchen cooking area on January 7, 2025, at 9:25 a.m. revealed an area where two steam kettles had a large amount of water accumulated on the floor underneath them, running out to an area where staff can walk.</p> <p>Observations in dishwashing area on January 7, 2025, at 9:30 a.m. revealed a significant amount of water accumulated on the floor under and around the sides of the dishwasher. A noticeable leak of water was observed coming from a pipe on the side of the dishwasher and running underneath it. Condensation was noted on the ceiling and water was observed dripping onto the floor from the ceiling.</p> <p>Observations on January 7, 2025, at 9:35 a.m. of the walk-in freezer on the lower level of the dietary department revealed that there was a buildup of ice on the floor in front of the racks against the back wall.</p> <p>Interview with the Dietary Manager on January 7, 2025, at 9:40 a.m. revealed that one steam kettle had a seal that was broken causing water to leak from it but was still usable, confirmed that the dishwasher had a leak but was functioning properly, and confirmed that there was an accumulation of ice on the floor in the walk-in freezer that should not have been there.</p> <p>28 Pa. Code 211.6(f) Dietary Services.</p>		