

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 515169	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 09/25/2024
NAME OF PROVIDER OR SUPPLIER Valley Center		STREET ADDRESS, CITY, STATE, ZIP CODE 1000 Lincoln Drive South Charleston, WV 25309	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0689</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Ensure that a nursing home area is free from accident hazards and provides adequate supervision to prevent accidents.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 49650</p> <p>Based on record review, observation and staff interview the facility failed to ensure the environment was free of accident hazards. Medicated items were identified to be left out accessible to wandering residents during a complaint survey. This was determined for more than an isolated number of residents identified to be at risk for wandering in the facility. Twenty-five (25) residents were identified to have wandering tendencies. had wandergards. Census: 121.</p> <p>Findings included:</p> <p>a) During a tour of the facility on 09/23/24 at approximately 11:45 AM the following rooms were identified to contain items intended for medical use that were readily visible and easily accessible in the residents' rooms as well as numerous personal hygiene items that were not labeled and or stored within reach of wandering residents.</p> <p>- room [ROOM NUMBER]</p> <p>Medline Aplicare Hydrogen Peroxide 3% was readily visible and easily accessible on the bed side nightstand. There was not a name marked on the container to identify who it belonged to. Review of the Safety Data Sheet (SDS) provided by the Director of Nursing (DON) revealed under section 2 hazards identification:</p> <p>Classification of serious eye damage/eye irritation category 2</p> <p>A Warning. Section f (four) First Aid Measures (typed as written) Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</p> <p>Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. Inhalation: Remove to fresh air. Ingestion: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.</p> <p>- room [ROOM NUMBER]</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
-----------------------------------------------------------------------	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 515169	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 09/25/2024
NAME OF PROVIDER OR SUPPLIER Valley Center		STREET ADDRESS, CITY, STATE, ZIP CODE 1000 Lincoln Drive South Charleston, WV 25309	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0689</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Remedy Anti-fungal Powder was readily visible and easily accessible in a bath basin sitting on the back of the toilet in room [ROOM NUMBER]. There was not a name marked on the bath basin or the bottle to identify who it belonged to. A white powdery substance was identified to be surrounding the area of the container. Review of Material Safety Data Sheet (MSDS) provided by the DON dated 11/08/24 revealed the MSDS identified the health hazards under section 6 (six) as follows (typed as written); Eye contact: Avoid eye contact; Should contact occur, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Inhalation: Could be an inhalation hazard, do not inhale powder. Ingestion: Avoid ingestion; If swallowed, get immediate medical attention or advice. DO NOT INDUCE VOMITING.</p> <p>Medline Essentials no-rinse foam cleanser (unscented) was readily visible and easily accessible in a pink bath basin sitting on the back of the toilet in room [ROOM NUMBER]. There was not a name marked on the container to identify who it belonged too. A review of the Material Safety Data Sheet provided by the Director of Nursing (DON) identified the first aid measures under section 4 (four) (typed as written): eye contact- rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness appears; Ingestion- Rinse mouth. Do not induce vomiting. Obtain emergency medical attention if you feel unwell.</p> <p>- room [ROOM NUMBER]</p> <p>Orajel mouth sores effective oral pain relief rinse was readily visible and easily accessible on the nightstand. There was not a name marked on the container to identify who it belonged to. A Material Safety Data Sheet was not provided but the following information was listed on the bottle. Warnings: Do not use this product for more than 7 (seven) days unless directed by a dentist or health care provider. When using this product do not swallow- do not exceed recommended dosage. Stop use and see your physician promptly if swelling, rash or fever develops- irritation, pain or redness persist or worsens- sore mouth symptoms do not improve in 7 days. Keep out of reach of children. If more than used for rinsing is accidentally swallowed get medical help or contact a poison control center right away.</p> <p>- room [ROOM NUMBER]</p> <p>Medline Essentials no-rinse foam cleanser (unscented) was readily visible and easily accessible in a pink bath basin sitting on the back of the toilet in Rom #103. There was not a name marked on the bottle to identify who it belonged to. During a review of the Material Safety Data Sheet provided by the Director of Nursing (DON) it identified the first aid measures under section 4 (four) (typed as written): eye contact- rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness appears; Ingestion- Rinse mouth. Do not induce vomiting. Obtain emergency medical attention if you feel unwell.</p> <p>During an interview with the Corporate Registered Nurse (CRN) #184 on 09/24/24 at approximately 2:30 PM, the CRN stated the medicinal items should not be in the resident's rooms.</p>		